

861

Receiving Advice/Acceptance Certificate

Functional Group=RC

This Draft Standard for Trial Use contains the format and establishes the data contents of the Receiving Advice/Acceptance Certificate Transaction Set (861) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the notification of receipt or formal acceptance of goods and services.

Notes:

- 1/020 This transaction set is a Receiving Advice unless BRA04 contains a value of "8". When BRA04 contains a value of "8", the transaction set is an Acceptance Certificate and the units received is the units accepted.
- 3/010 The number of line items (CTT01) is the accumulation of the number of RCD segments. If used, hash total (CTT02) is the sum of the value of quantities received (RCD02) for each RCD segment.

User:

There is one header area per Pipeline Tank Car Transaction Set. The detail area of the Pipeline Tank Car Transaction Set consists of sequentially numbered line items. Each line item transmits one meter ticket. Each transaction set may send 200,000 tickets.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Req
020	BRA	Beginning Segment for Receiving Advice or Acceptance Certificate	M	1		N1/020	Req
070	DTM	Date/Time Reference	M	10			Req
LOOP ID - N1					200		
130	N1	Name	O	1			Req
140	N2	Additional Name Information	O	2			Used
150	N3	Address Information	O	2			Used
160	N4	Geographic Location	O	1			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - RCD					200000		
010	RCD	Receiving Conditions	O	1			Req
040	LIN	Item Identification	O	100			Req
050	PID	Product/Item Description	O	1000			Used
070	REF	Reference Identification	O	12			Used
090	DTM	Date/Time Reference	O	10			Req
110	MEA	Measurements	O	>1			Used
150	TD3	Carrier Details (Equipment)	O	12			Used
170	SAC	Service, Promotion, Allowance, or Charge Information	O	10			Used
LOOP ID - SLN					100		
190	SLN	Subline Item Detail	O	1			Used
203	NM1	Individual or Organizational Name	O	1			Used
LOOP ID - N1					200		
210	N1	Name	O	1			Used
250	REF	Reference Identification	O	100			Req

260 PER Administrative Communications Contact

O 3

Used

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	CTT	Transaction Totals	O	1		N3/010	Req
020	SE	Transaction Set Trailer	M	1			Req

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

To indicate the start of a transaction set and to assign a control number

Semantics:

- The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
ST01	143	Transaction Set Identifier Code Description: Code uniquely identifying a Transaction Set	M	ID	3/3	Req				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>861</td> <td>Receiving Advice/Acceptance Certificate</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	861	Receiving Advice/Acceptance Certificate				
<u>Code</u>	<u>Name</u>									
861	Receiving Advice/Acceptance Certificate									
ST02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Req				
		<p>User: <i>The Control Number is assigned by the sender. It is sequentially assigned within each functional group. Sequential numbering aids in error recovery and research. ST02 must equal SE02.</i></p>								

BRA Beginning Segment for Receiving Advice or Acceptance Certificate

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 4

To indicate the beginning of a Receiving Advice or Acceptance Certificate Transaction Set and transmit an identifying number, date, and time

Semantics:

1. BRA02 is the date that the receiving advice transaction set is created.
2. BRA05 is the time that the receiving advice transaction set is created.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>														
BRA01	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>User: This data field must contain a code value of "PR" to denote "Pipeline Tank Car Ticket".</i>	M	AN	1/30	Req														
BRA02	373	Date Description: Date expressed as CCYYMMDD <i>User: For PIPENET, the format of the date must be expressed as YYYYMMDD. For example, January 1, 1999 would be expressed as 19990101.</i>	M	DT	8/8	Req														
BRA03	353	Transaction Set Purpose Code Description: Code identifying purpose of transaction set	M	ID	2/2	Req														
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>00</td> <td>Original</td> </tr> <tr> <td>01</td> <td>Cancellation</td> </tr> <tr> <td>04</td> <td>Change</td> </tr> <tr> <td>05</td> <td>Replace</td> </tr> <tr> <td>07</td> <td>Duplicate</td> </tr> <tr> <td>22</td> <td>Information Copy</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	00	Original	01	Cancellation	04	Change	05	Replace	07	Duplicate	22	Information Copy				
<u>Code</u>	<u>Name</u>																			
00	Original																			
01	Cancellation																			
04	Change																			
05	Replace																			
07	Duplicate																			
22	Information Copy																			
BRA04	962	Receiving Advice or Acceptance Certificate Type Code Description: Code specifying type of receiving advice <i>User: This data field must contain a code value of "2" to denote "Post Receipt Advice".</i>	M	ID	1/1	Req														
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Post Receipt Advice</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	2	Post Receipt Advice														
<u>Code</u>	<u>Name</u>																			
2	Post Receipt Advice																			

DTM Date/Time Reference

Pos: 070	Max: 10
Heading - Mandatory	
Loop: N/A	Elements: 3

To specify pertinent dates and times

Syntax:

- R020305 -- At least one of DTM02, DTM03 or DTM05 is required.
- C0403 -- If DTM04 is present, then DTM03 is required
- P0506 -- If either DTM05 or DTM06 are present, then the others are required.

User:

The date is identical to BRA02. This segment is mandatory in the ASC X12 861 transaction set and for PIPENET all three data elements of the segment must be sent.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
DTM01	374	Date/Time Qualifier Description: Code specifying type of date or time, or both date and time	M	ID	3/3	Req				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>009</td> <td>Process</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	009	Process				
<u>Code</u>	<u>Name</u>									
009	Process									
DTM02	373	Date Description: Date expressed as CCYYMMDD	C	DT	8/8	Req				
		User: For PIPENET, the format of the date must be expressed as YYYYMMDD. For example, January 1, 1999 would be expressed as 19990101.								
DTM03	337	Time Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	C	TM	4/8	Req				

N1

Name

Pos: 130	Max: 1
Heading - Optional	
Loop: N1	Elements: 4

To identify a party by type of organization, name, and code

Syntax:

- R0203 -- At least one of N102 or N103 is required.
- P0304 -- If either N103 or N104 are present, then the others are required.

Comments:

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- N105 and N106 further define the type of entity in N101.

User:

For PIPENET, AT LEAST TWO iterations of the N1 loop are required to convey the Carrier Name, Ticket Transaction Set Destination (mandatory for PIPENET). The use of all other relevant DE 98 code values is optional.

The preferred method for sending the name is to use the N103 and N104 data elements. If the name is sent in the N103 and N104, do not send N102. However, if the name is sent as alpha-numeric in N102, do not send N103 and N104.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Req

Description: Code identifying an organizational entity, a physical location, property or an individual

<u>Code</u>	<u>Name</u>
AO	Account Of
CA	Carrier
CN	Consignee
MC	Motor Carrier
OP	Operator of property or unit
RR	Railroad
SH	Shipper
SU	Supplier/Manufacturer
TF	Tank Farm
UC	Ultimate Consignee
WF	Tank Farm Owner

User: Use this code value to designate the destination terminal.

N102	93	Name	C	AN	1/60	Used
Description: Free-form name						
N103	66	Identification Code Qualifier	C	ID	1/2	Used
Description: Code designating the system/method of code structure used for Identification Code (67)						

<u>Code</u>	<u>Name</u>
1	D-U-N-S Number,Dun & Bradstreet
9	D-U-N-S+4,D-U-N-S Number with Four Character Suffix
22	Council of Petroleum Accounting Societies code (COPAS)
TL	Transport4 Location Code

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<p>Description: Refer to Code Source 841 in the Appendix.</p> <p>Please note that an ASC X12 data maintenance item is pending for the addition of this code value. It is expected to be published in ASC X12 Version/Subrelease 4021.</p>				
	TS	<p>Transport4 Shipper Code</p> <p>Description: Refer to Code Source 841 in the Appendix.</p> <p>Please note that an ASC X12 data maintenance item is pending for the addition of this code value. It is expected to be published in ASC X12 Version/Subrelease 4021.</p>				
N104	67	<p>Identification Code</p> <p>Description: Code identifying a party or other code</p>	C	AN	2/80	Used

N2**Additional Name Information**

Pos: 140	Max: 2
Heading - Optional	
Loop: N1	Elements: 2

To specify additional names or those longer than 35 characters in length

User:

Do not send use this segment if the entity has been identified by using N103 and N104.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N201	93	Name Description: Free-form name	M	AN	1/60	Req
N202	93	Name Description: Free-form name	O	AN	1/60	Used

N3**Address Information**

Pos: 150	Max: 2
Heading - Optional	
Loop: N1	Elements: 2

To specify the location of the named party

User:

Do not send use this segment if the entity has been identified by using N103 and N104.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information Description: Address information	M	AN	1/55	Req
N302	166	Address Information Description: Address information	O	AN	1/55	Used

N4**Geographic Location**

Pos: 160	Max: 1
Heading - Optional	
Loop: N1	Elements: 3

To specify the geographic place of the named party

Syntax:

C0605 -- If N406 is present, then N405 is required

Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

User:

Do not send use this segment if the entity has been identified by using N103 and N104.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name Description: Free-form text for city name	O	AN	2/30	Used
N402	156	State or Province Code Description: Code (Standard State/Province) as defined by appropriate government agency	O	ID	2/2	Used
N403	116	Postal Code Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O	ID	3/15	Used

RCD Receiving Conditions

Pos: 010	Max: 1
Detail - Optional	
Loop: RCD	Elements: 3

To report receiving conditions and specify contested quantities

Syntax:

- R020406 -- At least one of RCD02, RCD04 or RCD06 is required.
 P0203 -- If either RCD02 or RCD03 are present, then the others are required.
 P0405 -- If either RCD04 or RCD05 are present, then the others are required.
 P060708 -- If either RCD06, RCD07 or RCD08 are present, then the others are required.
 P091011 -- If either RCD09, RCD10 or RCD11 are present, then the others are required.
 P121314 -- If either RCD12, RCD13 or RCD14 are present, then the others are required.
 P151617 -- If either RCD15, RCD16 or RCD17 are present, then the others are required.
 P181920 -- If either RCD18, RCD19 or RCD20 are present, then the others are required.

Semantics:

1. RCD01 is the receiving advice line item identification.
2. RCD21 is the cumulative quantity of goods received for a specific time period.

Comments:

1. See the Data Element Dictionary for a complete list of receiving condition IDs.
2. RCD06 through RCD20 provide for five different quantities whose condition upon receipt is under question.

User:

The RCD segment is used by PIPENET to define the start of a pipeline tank car ticket. For PIPENET, if RCD02 is sent, then RCD03 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RCD01	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set User: <i>For PIPENET, the shipper order number.</i>	O	AN	1/20	Req
RCD02	663	Quantity Units Received or Accepted Description: Number of Units Received or Accepted User: <i>This data field should be used to relay the ticket net volume.</i>	C	R	1/9	Req
RCD03	C001	Composite Unit of Measure Description: To identify a composite unit of measure(See Figures Appendix for examples of use) User: <i>Units of measurement of PIPENET document parameters will use the codes published in the implementation guidelines.</i> <i>PIPENET permits the user to implement other Unit of Measure codes (DE 355) codes published in the version release.</i> <i>New code implementations should be submitted to the PIPENET User Group committee for inclusion in the implementation guide.</i> <i>The Unit of Measure data element will permit reporting a unit of measure that does not appear in the DE 355 code list but is composed of entries</i>	C	Comp		Used

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

published in the list by implementing the composite Unit of Measure syntax.

PIPENET will accommodate 2 levels of Unit of Measure:

- C001 01 Unit of Measure (published code) – usage is Mandatory*
- C001 02 Exponent (usage is optional)*
- C001 03 Multiplier (usage is optional)*
- C001 03 Unit of Measure (published code) – usage is optional)*
- C001 04 Exponent (usage is optional)*
- C001 05 Multiplier (usage is optional)*

Examples:

- C001: BR for barrels*
- C001: BR C004: HT C005: -1 for barrels per half hour*

Refer to ANSI X-12 version release 4010 Composite Data Structure Figures

355	Unit or Basis for Measurement Code	M	ID	2/2	Req
Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					

<u>Code</u>	<u>Name</u>
CO	Cubic Meters (Net)
GN	Gross Gallons
ND	Net Barrels
NG	Net Gallons
PN	Pounds Net

LIN

Item Identification

Pos: 040	Max: 100
Detail - Optional	
Loop: RCD	Elements: 11

To specify basic item identification data

Syntax:

- P0405 -- If either LIN04 or LIN05 are present, then the others are required.
- P0607 -- If either LIN06 or LIN07 are present, then the others are required.
- P0809 -- If either LIN08 or LIN09 are present, then the others are required.
- P1011 -- If either LIN10 or LIN11 are present, then the others are required.
- P1213 -- If either LIN12 or LIN13 are present, then the others are required.
- P1415 -- If either LIN14 or LIN15 are present, then the others are required.
- P1617 -- If either LIN16 or LIN17 are present, then the others are required.
- P1819 -- If either LIN18 or LIN19 are present, then the others are required.
- P2021 -- If either LIN20 or LIN21 are present, then the others are required.
- P2223 -- If either LIN22 or LIN23 are present, then the others are required.
- P2425 -- If either LIN24 or LIN25 are present, then the others are required.
- P2627 -- If either LIN26 or LIN27 are present, then the others are required.
- P2829 -- If either LIN28 or LIN29 are present, then the others are required.
- P3031 -- If either LIN30 or LIN31 are present, then the others are required.

Semantics:

1. LIN01 is the line item identification

Comments:

1. See the Data Dictionary for a complete list of IDs.
2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

User:

For PIPENET, the following rules supercede the ANSI attributes for the data elements of the LIN segment.

LIN06 and LIN07 are optional but may only be used to send the Primary Movement Identifier.

LIN08 and LIN09 are optional but may only be used to send the Transaction Code.

LIN10 and LIN11 are optional but may only be used to send the Ticket Type.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN01	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set	O	AN	1/20	Used
LIN02	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)	M	ID	2/2	Req

<u>Code</u>	<u>Name</u>
PQ	Product ID Attribute Code
Description: Required by PIPENET	

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
LIN03	234	Product/Service ID Description: Identifying number for a product or service <i>User: C Crude Oil</i> <i>P Product</i> <i>N Natural Gas Liquids</i>	M	AN	1/48	Req						
LIN04	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) <table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td>DH</td> <td>Transport4 Commodity Code Description: Refer to Code Source 841 in the Appendix. Please note that an ASC X12 data maintenance item is pending for the addition of this code value. It is expected to be published in ASC X12 Version/Subrelease 4021.</td> </tr> <tr> <td>TP</td> <td>Product Type Code Description: Required by PIPENET</td> </tr> </table>	<u>Code</u>	<u>Name</u>	DH	Transport4 Commodity Code Description: Refer to Code Source 841 in the Appendix. Please note that an ASC X12 data maintenance item is pending for the addition of this code value. It is expected to be published in ASC X12 Version/Subrelease 4021.	TP	Product Type Code Description: Required by PIPENET	C	ID	2/2	Used
<u>Code</u>	<u>Name</u>											
DH	Transport4 Commodity Code Description: Refer to Code Source 841 in the Appendix. Please note that an ASC X12 data maintenance item is pending for the addition of this code value. It is expected to be published in ASC X12 Version/Subrelease 4021.											
TP	Product Type Code Description: Required by PIPENET											
LIN05	234	Product/Service ID Description: Identifying number for a product or service <i>User: See Appendix A for API Product Code List.</i>	C	AN	1/48	Used						
LIN06	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) <table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td>GC</td> <td>Grade Code</td> </tr> </table>	<u>Code</u>	<u>Name</u>	GC	Grade Code	C	ID	2/2	Used		
<u>Code</u>	<u>Name</u>											
GC	Grade Code											
LIN07	234	Product/Service ID Description: Identifying number for a product or service	C	AN	1/48	Used						
LIN08	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) <table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td>TA</td> <td>Pipeline Transaction Code</td> </tr> </table>	<u>Code</u>	<u>Name</u>	TA	Pipeline Transaction Code	C	ID	2/2	Used		
<u>Code</u>	<u>Name</u>											
TA	Pipeline Transaction Code											
LIN09	234	Product/Service ID Description: Identifying number for a product or service <i>User: 10 Receipt - Custody (into tanks)</i> <i>11 Receipt - Custody (into line)</i> <i>12 Receipt - Gathering Location</i> <i>17 Receipt - Transfer Record</i> <i>21 Delivery - Custody (from line)</i> <i>22 Delivery - Custody (from tanks)</i> <i>24 Transmix Delivery (out of tanks)</i> <i>31 Water Adjustment Record</i>	C	AN	1/48	Used						

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
		<p>32 <i>Inventory - Adjustment</i></p> <p>33 <i>Void Ticket</i></p> <p>35 <i>In-tank Transfer</i></p>								
LIN10	235	<p>Product/Service ID Qualifier</p> <p>Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)</p>	C	ID	2/2	Used				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>MO</td> <td>Movement Type Code</td> </tr> </tbody> </table> <p>Description: For PIPENET, the MO qualifier is used to declare the Ticket Type Qualifier Code.</p>	<u>Code</u>	<u>Name</u>	MO	Movement Type Code				
<u>Code</u>	<u>Name</u>									
MO	Movement Type Code									
LIN11	234	<p>Product/Service ID</p> <p>Description: Identifying number for a product or service</p>	C	AN	1/48	Used				
		<p>User: BU <i>Bulk</i></p> <p>LE <i>Lease</i></p> <p>PL <i>Pipeline</i></p> <p>TE <i>Terminal Representative</i></p> <p>PF <i>Pipeline Facility</i></p> <p>CR <i>Credit</i></p> <p>SK <i>Skid Ticket</i></p> <p>UT <i>Underground Tanks</i></p> <p>TR <i>Truck Rack</i></p>								

PID Product/Item Description

Pos: 050	Max: 1000
Detail - Optional	
Loop: RCD	Elements: 5

To describe a product or process in coded or free-form format

Syntax:

- C0403 -- If PID04 is present, then PID03 is required
- R0405 -- At least one of PID04 or PID05 is required.
- C0703 -- If PID07 is present, then PID03 is required
- C0804 -- If PID08 is present, then PID04 is required
- C0905 -- If PID09 is present, then PID05 is required

Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

Comments:

1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
3. PID07 specifies the individual code list of the agency specified in PID03.

User:

PIPENET allows for multiple iterations of the PID segment to relay quality control data, regulatory statements and previous movement identifier.

The use of the PID segment allows quality control data items to be sent using alpha-numeric descriptions.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>																		
PID01	349	Item Description Type Description: Code indicating the format of a description	M	ID	1/1	Req																		
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Free-form</td> </tr> <tr> <td>X</td> <td>Semi-structured (Code and Text)</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	F	Free-form	X	Semi-structured (Code and Text)																
<u>Code</u>	<u>Name</u>																							
F	Free-form																							
X	Semi-structured (Code and Text)																							
PID02	750	Product/Process Characteristic Code Description: Code identifying the general class of a product or process characteristic	O	ID	2/3	Used																		
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>35</td> <td>Color</td> </tr> <tr> <td>40</td> <td>Shade</td> </tr> <tr> <td></td> <td>Description: Used to declare the Millipore Qualifier Code.</td> </tr> <tr> <td>56</td> <td>Special Processing</td> </tr> <tr> <td></td> <td>Description: Use this code value to declare the CFR Part 80 statements and other governing jurisdiction statements.</td> </tr> <tr> <td>84</td> <td>Special Specification</td> </tr> <tr> <td></td> <td>Description: Use this code value to declare the RVP statement.</td> </tr> <tr> <td>SYN</td> <td>Synonym</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	35	Color	40	Shade		Description: Used to declare the Millipore Qualifier Code.	56	Special Processing		Description: Use this code value to declare the CFR Part 80 statements and other governing jurisdiction statements.	84	Special Specification		Description: Use this code value to declare the RVP statement.	SYN	Synonym				
<u>Code</u>	<u>Name</u>																							
35	Color																							
40	Shade																							
	Description: Used to declare the Millipore Qualifier Code.																							
56	Special Processing																							
	Description: Use this code value to declare the CFR Part 80 statements and other governing jurisdiction statements.																							
84	Special Specification																							
	Description: Use this code value to declare the RVP statement.																							
SYN	Synonym																							

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
		<p>Description: Used to declare the previous movement identifier defined by a connecting carrier or other associated party.</p> <p>WD Warranty Description</p> <p>Description: Use this code value to declare the CARB statement.</p>								
PID03	559	<p>Agency Qualifier Code</p> <p>Description: Code identifying the agency assigning the code values</p>	C	ID	2/2	Used				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>AP</td> <td>American Petroleum Institute</td> </tr> </tbody> </table> <p>Description: This code value MUST BE USED when a code value of 84, WD or 56 is used in PID02.</p>	<u>Code</u>	<u>Name</u>	AP	American Petroleum Institute				
<u>Code</u>	<u>Name</u>									
AP	American Petroleum Institute									
PID04	751	<p>Product Description Code</p> <p>Description: A code from an industry code list which provides specific data about a product characteristic</p> <p>User: <i>If PID02 = 56 use:</i></p> <p>00 - Implies statement of EPA CFR 40 Part 80 paragraph 80.106 (a) (7)</p> <p>01- First part of statement of EPA CFR Part 80 paragraph 80.106 (a) (7) follows in PID05</p> <p>02 - Second part of statement of EPA CFR 40 Part 80 paragraph 80.106 (a) (7) follows in PID05</p> <p>03 - Implies statement of EPA CFR 40 Part 80 paragraph 80.106 (b) follows in PID05</p> <p>04 - First part of statement in EPA CFR 40 Part 80 paragraph 80.106 (b) follows in PID05.</p> <p>05 - Second part of statement of EPA CFR 40 Part 80 paragraph 80.106 (b) follows in PID05.</p> <p>06 - Third part of statement of EPA CFR 40 Part 80 paragraph 80.106 (b) follows in PID05.</p> <p>07 - implies oxygen content statement</p> <p>08 - First part of low sulfur diesel statement</p> <p>09 - Second part of low sulfur diesel statement</p> <p>10 - First part of RVP statement</p> <p>11 - Second part of RVP statement</p>	C	AN	1/12	Used				

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

If PID02=84 use:

00 - Implies SFPP RVP statement

01- First part of SFPP RVP statement follows in PID05

02 - Second part of SFPP RVP statement follows in PID05

03 - Implies statement of base gasoline

If PID02 = WD use:

00 - implies statement of CARB Non-OPRG

01- implies statement of CARB OPRG

PID05	352	Description	C	AN	1/80	Used
--------------	------------	--------------------	----------	-----------	-------------	-------------

Description: A free-form description to clarify the related data elements and their content

User: *If PID02 equals "84" and PID04 equals "01", "Verification received from supplier and SFPP pipeline oversight program indicate"*

If PID02 equals "84" and PID04 equals "02", "this product meets federal and state RVP regulations."

If PID02 equals "84" and PID04 equals "03", "Base gasoline not for sale to the ultimate consumer"

If PID02 equals "WD" and PID04 equals "00", "This gasoline is not Oxygenate Fuels Program Reformulated Gasoline (NON-OPRG)"

If PID02 equals "WD" and PID04 equals "01", "This gasoline is Oxygenate Fuels Program Reformulated Gasoline (ORPG)"

If PID02 equals "56" and PID04 equals "01", "This product does not meet the requirements for reformulated gasoline,"

If PID02 equals "56" and PID04 equals "02", "and may not be used in any reformulated gasoline covered area."

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<i>If PID02 equals "56" and PID04 equals "04", "For purposes of the Anti-dumping requirements under 40 CFR Subpart E, "</i>				
		<i>If PID02 equals "56" and PID04 equals "05", "this blendstock has been accounted for by the refiner that produced it,"</i>				
		<i>If PID02 equals "56" and PID04 equals "06", "and must be excluded from any subsequent compliance calculations."</i>				
		<i>If PID02 equals "56" and PID04 equals "07", "The oxygen content of this product is 2.7-2.9 percent by weight with ethers"</i>				
		<i>If PID02 equals "56" and PID04 equals "08", "Shipper/refiner has certified that diesel"</i>				
		<i>If PID02 equals "56" and PID04 equals "09", "meets low sulfur diesel requirements"</i>				
		<i>If PID02 equals "56" and PID04 equals "10", "Shipper/refiner has certified that"</i>				
		<i>If PID02 equals "56" and PID04 equals "11", "gasoline tendered meets RVP requirements"</i>				

REF Reference Identification

Pos: 070	Max: 12
Detail - Optional	
Loop: RCD	Elements: 4

To specify identifying information

Syntax:

R0203 -- At least one of REF02 or REF03 is required.

Semantics:

- REF04 contains data relating to the value cited in REF02.

User:

PIPENET allows multiple iterations of the REF segment to convey the Tariff Number, Bill of Lading Number, Tank Number, Permit Number, Seal Number and Product Change Information Number.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>																				
REF01	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification	M	ID	2/3	Req																				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>BM</td> <td>Bill of Lading Number</td> </tr> <tr> <td>CR</td> <td>Customer Reference Number</td> </tr> <tr> <td>PN</td> <td>Permit Number</td> </tr> <tr> <td>PV</td> <td>Product change information number</td> </tr> <tr> <td></td> <td>Description: To identify a Blend or Alteration Indicator</td> </tr> <tr> <td>SN</td> <td>Seal Number</td> </tr> <tr> <td>TK</td> <td>Tank Number</td> </tr> <tr> <td>TS</td> <td>Tariff Number</td> </tr> <tr> <td>VT</td> <td>Motor Vehicle ID Number</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	BM	Bill of Lading Number	CR	Customer Reference Number	PN	Permit Number	PV	Product change information number		Description: To identify a Blend or Alteration Indicator	SN	Seal Number	TK	Tank Number	TS	Tariff Number	VT	Motor Vehicle ID Number				
<u>Code</u>	<u>Name</u>																									
BM	Bill of Lading Number																									
CR	Customer Reference Number																									
PN	Permit Number																									
PV	Product change information number																									
	Description: To identify a Blend or Alteration Indicator																									
SN	Seal Number																									
TK	Tank Number																									
TS	Tariff Number																									
VT	Motor Vehicle ID Number																									
REF02	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	C	AN	1/30	Used																				
		<p>User: 0 No blend or alteration</p> <p>1 Product was truck blended and contains additive</p> <p>2 Product contains additive</p> <p>3 Product was blended and contains additive</p> <p>4 Product contains detergent additive</p> <p>5 Product was blended and contains detergent additive</p>																								
REF03	352	Description Description: A free-form description to clarify the related data elements and their content	C	AN	1/80	Used																				
		<p>User: The reference identification can be described by a numeric value than send this number in REF02. Otherwise, send the reference as alpha-numeric text in REF03.</p>																								
REF04	C040	Reference Identifier	O	Comp		Used																				

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

DTM Date/Time Reference

Pos: 090	Max: 10
Detail - Optional	
Loop: RCD	Elements: 3

To specify pertinent dates and times

Syntax:

- R020305 -- At least one of DTM02, DTM03 or DTM05 is required.
- C0403 -- If DTM04 is present, then DTM03 is required
- P0506 -- If either DTM05 or DTM06 are present, then the others are required.

User:

For PIPENET, at least one DTM at the detail level is mandatory.

PIPENET allows three iterations of the DTM segment. They are Ticket Date, Ticket Start Date/Time, and Ticket Stop Date/Time.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>										
DTM01	374	Date/Time Qualifier Description: Code specifying type of date or time, or both date and time	M	ID	3/3	Req										
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>035</td> <td>Delivered</td> </tr> <tr> <td></td> <td>Description: Used to declare the Ticket Date DTM segment</td> </tr> <tr> <td>090</td> <td>Report Start</td> </tr> <tr> <td>091</td> <td>Report End</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	035	Delivered		Description: Used to declare the Ticket Date DTM segment	090	Report Start	091	Report End				
<u>Code</u>	<u>Name</u>															
035	Delivered															
	Description: Used to declare the Ticket Date DTM segment															
090	Report Start															
091	Report End															
DTM02	373	Date Description: Date expressed as CCYYMMDD	C	DT	8/8	Req										
		User: <i>For PIPENET, the format of the date must be expressed as YYYYMMDD. For example, January 1, 1999 would be expressed as 19990101.</i>														
DTM03	337	Time Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	C	TM	4/8	Used										
		User: <i>Required for PIPENET for Ticket Start Date/Time DTM segment and Ticket Stop Date/Time DTM segment.</i>														
		<i>Use of this data element is optional for Ticket Date DTM segment.</i>														

MEA Measurements

Pos: 110	Max: >1
Detail - Optional	
Loop: RCD	Elements: 4

To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

Syntax:

- R03050608 -- At least one of MEA03, MEA05, MEA06 or MEA08 is required.
- C0504 -- If MEA05 is present, then MEA04 is required
- C0604 -- If MEA06 is present, then MEA04 is required
- L07030506 -- If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
- E0803 -- Only one of MEA08 or MEA03 may be present.

Semantics:

1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

Comments:

1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

User:

Units of measurement of PIPENET document parameters will use the codes published in the implementation guidelines. PIPENET permits the user to implement other Unit of Measure codes (DE 355) codes published in the version release. New code implementations should be submitted to the PIPENET User Group committee for inclusion in the implementation guide. The Unit of Measure data element will permit reporting a unit of measure that does not appear in the DE 355 code list but is composed of entries published in the list by implementing the composite Unit of Measure syntax. PIPENET will accommodate 2 levels of Unit of Measure:

- C001 01 Unit of Measure (published code) – usage is Mandatory
- C001 02 Exponent (usage is optional)
- C001 03 Multiplier (usage is optional)
- C001 03 Unit of Measure (published code) – usage is optional
- C001 04 Exponent (usage is optional)
- C001 05 Multiplier (usage is optional)

Examples:

- C001: BR for barrels
- C001: BR C004: HT C005: -1 for barrels per half hour

Refer to ANSI X-12 version release 4010 Composite Data Structure Figures

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA01	737	Measurement Reference ID Code	O	ID	2/2	Used
Description: Code identifying the broad category to which a measurement applies						

<u>Code</u>	<u>Name</u>
AV	Average Reading
DT	Dimensional Tolerance
PS	Product Characteristic Specification
R1	Opening Reading
R2	Closing Reading
SH	Shipping Tolerance

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA02	738	Measurement Qualifier	O	ID	1/3	Used

Description: Code identifying a specific product or process characteristic to which a measurement applies

Code Name

- U Weight per Unit
 - FP Flashpoint
 - MK Microseperometer (MSEP)
 - PB Pressure
 - PY Percent of Water
 - TC Temperature
 - ZO Oxygen
 - AVT Average Temperature
 - BSW Percent Bottom Sediment and Water
 - CCF Composite Corrected Factor
 - DMF Distributed Meter Factor
 - H2O Water Volume
 - HAZ Haze
 - LPG Liquefied Petroleum Gas Factor
 - OAP Observed American Petroleum Institute Gravity
 - OBT Observed Temperature
 - ODR Odor
- Description:** The quality of a substance that stimulates the olfactory organ
- PRL Product Level
 - RVP Reid Vapor Pressure
 - SPG Specific Gravity
 - TPF Temperature Factor
 - VAP Vapor Pressure
 - VSO Volume Split to Others

MEA03	739	Measurement Value	C	R	1/20	Used
-------	-----	--------------------------	---	---	------	------

Description: The value of the measurement

MEA04	C001	Composite Unit of Measure	C	Comp		Used
-------	------	----------------------------------	---	------	--	------

Description: To identify a composite unit of measure(See Figures Appendix for examples of use)

	355	Unit or Basis for Measurement Code	M	ID	2/2	Req
--	-----	---	---	----	-----	-----

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

Code Name

- BR Barrel
 - CE Centigrade,Celsius
 - CO Cubic Meters (Net)
 - CR Cubic Meter
 - DD Degree
 - E5 Inches,Fraction--Actual
- Description:** Fpr PIPENET, fractional inches are in 32nds of an inch.
- FA Fahrenheit
 - FT Foot
 - GD Gross Barrels
 - GM Grams per Sq. Meter
 - GN Gross Gallons
 - IN Inch
 - KG Kilogram
 - LB Pound
 - ND Net Barrels
 - NG Net Gallons

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		PG Pounds Gross				
		PN Pounds Net				
		PS Pounds per Sq. Inch				
		PU Mass Pounds				
		ZZ Mutually Defined				
1018		Exponent Description: Power to which a unit is raised	O	R	1/15	Used
649		Multiplier Description: Value to be used as a multiplier to obtain a new value	O	R	1/10	Used
355		Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken User: See C001-01 for applicable code values.	O	ID	2/2	Used
1018		Exponent Description: Power to which a unit is raised	O	R	1/15	Used
649		Multiplier Description: Value to be used as a multiplier to obtain a new value	O	R	1/10	Used

TD3 Carrier Details (Equipment)

Pos: 150	Max: 12
Detail - Optional	
Loop: RCD	Elements: 10

To specify transportation details relating to the equipment used by the carrier

Syntax:

- E0110 -- Only one of TD301 or TD310 may be present.
- C0203 -- If TD302 is present, then TD303 is required
- C0405 -- If TD304 is present, then TD305 is required
- P0506 -- If either TD305 or TD306 are present, then the others are required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD301	40	Equipment Description Code Description: Code identifying type of equipment used for shipment	C	ID	2/2	Used
		<u>Code</u> <u>Name</u>				
		TN Tank Car				
TD302	206	Equipment Initial Description: Prefix or alphabetic part of an equipment unit's identifying number	O	AN	1/4	Not used
TD303	207	Equipment Number Description: Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	C	AN	1/10	Not used
TD304	187	Weight Qualifier Description: Code defining the type of weight	O	ID	1/2	Not used
		<u>Code</u> <u>Name</u>				
		Z Mutually Defined				
TD305	81	Weight Description: Numeric value of weight	C	R	1/10	Not used
TD306	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	C	ID	2/2	Not used
		<u>Code</u> <u>Name</u>				
		CR Cubic Meter GD Gross Barrels GN Gross Gallons PG Pounds Gross				
TD307	102	Ownership Code Description: Code indicating the relationship of equipment to carrier or ownership of equipment	O	ID	1/1	Not used
		<u>Code</u> <u>Name</u>				

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		N Not Customer Owned or Leased				
		S Customer Owned or Leased				
		T Trip Leased				
TD308	407	Seal Status Code Description: Code indicating condition of door seal upon arrival All valid X12 codes are used.	O	ID	2/2	Not used
TD309	225	Seal Number Description: Unique number on seal used to close a shipment	O	AN	2/15	Not used
TD310	24	Equipment Type Description: Code identifying equipment type	C	ID	4/4	Not used

SAC**Service, Promotion, Allowance, or Charge Information**

Pos: 170	Max: 10
Detail - Optional	
Loop: RCD	Elements: 10

To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

Syntax:

- R0203 -- At least one of SAC02 or SAC03 is required.
- P0304 -- If either SAC03 or SAC04 are present, then the others are required.
- P0607 -- If either SAC06 or SAC07 are present, then the others are required.
- P0910 -- If either SAC09 or SAC10 are present, then the others are required.
- C1110 -- If SAC11 is present, then SAC10 is required
- L130204 -- If SAC13 is present, then at least one of SAC02 or SAC04 is required.
- C1413 -- If SAC14 is present, then SAC13 is required
- C1615 -- If SAC16 is present, then SAC15 is required

Semantics:

1. If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
2. SAC05 is the total amount for the service, promotion, allowance, or charge.
3. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
4. SAC08 is the allowance or charge rate per unit.
5. SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity.
6. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
7. SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
8. SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
9. SAC16 is used to identify the language being used in SAC15.

Comments:

1. SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
2. In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

User:

The ITA segment has been replaced by the SAC segment. However, the functionality remains the same.

User Note 1:

For each meter used for the ticket transmit the meter number and other essential data using this SAC segment. If the meter factor is greater than or equal to 1 then SAC01 = "A". If the meter factor is less than 1 then SAC01 = "C". If the meter factor is not sent in the SAC segment then SAC01 = "N". If SAC01 is "A" or "C" then the meter factor must be sent in SAC08.

User Note 2:

If one meter is used for the ticket then this segment is used to transmit the ticket meter factor in SAC08.

If one meter is used for the ticket then percent distribution is implied as 100% and SAC06 and SAC07 are not included in the segment.

User Note 3:

If ending meter reading is sent then SAC10 is mandatory. If the meter reading is combined then the beginning meter reading data element is the combined beginning reading. If the meter reading is combined then the ending meter reading data element is the combined ending reading.

Transmit Meter Proving Reports only for the meters used for the ticket.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>										
SAC01	248	Allowance or Charge Indicator Description: Code which indicates an allowance or charge for the service specified	M	ID	1/1	Used										
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Allowance</td> </tr> <tr> <td>C</td> <td>Charge</td> </tr> <tr> <td>N</td> <td>No Allowance or Charge</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	A	Allowance	C	Charge	N	No Allowance or Charge						
<u>Code</u>	<u>Name</u>															
A	Allowance															
C	Charge															
N	No Allowance or Charge															
SAC03	559	Agency Qualifier Code Description: Code identifying the agency assigning the code values	C	ID	2/2	Used										
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>A4</td> <td>Assigned by Carrier</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	A4	Assigned by Carrier										
<u>Code</u>	<u>Name</u>															
A4	Assigned by Carrier															
SAC04	1301	Agency Service, Promotion, Allowance, or Charge Code Description: Agency maintained code identifying the service, promotion, allowance, or charge User: Use this data field to relay the meter number.	C	AN	1/10	Used										
SAC06	378	Allowance/Charge Percent Qualifier Description: Code indicating on what basis allowance or charge percent is calculated	C	ID	1/1	Used										
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>Z</td> <td>Mutually Defined</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	Z	Mutually Defined										
<u>Code</u>	<u>Name</u>															
Z	Mutually Defined															
SAC07	332	Percent Description: Percent expressed as a percent User: For PIPENET, this is the volume distribution (% distribution) for the meter defined in SAC04.	C	R	1/6	Used										
SAC08	118	Rate Description: Rate expressed in the standard monetary denomination for the currency specified User: For PIPENET, this is the meter factor for the meter defined in SAC04.	O	R	1/9	Used										
SAC09	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	C	ID	2/2	Used										
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>CR</td> <td>Cubic Meter</td> </tr> <tr> <td>GD</td> <td>Gross Barrels</td> </tr> <tr> <td>GN</td> <td>Gross Gallons</td> </tr> <tr> <td>PG</td> <td>Pounds Gross</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	CR	Cubic Meter	GD	Gross Barrels	GN	Gross Gallons	PG	Pounds Gross				
<u>Code</u>	<u>Name</u>															
CR	Cubic Meter															
GD	Gross Barrels															
GN	Gross Gallons															
PG	Pounds Gross															
SAC10	380	Quantity Description: Numeric value of quantity User: For PIPENET, this is the ending meter reading.	C	R	1/15	Used										

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SAC11	380	Quantity Description: Numeric value of quantity User: <i>For PIPENET, this is the beginning meter reading.</i>	O	R	1/15	Used
SAC13	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier User: <i>For PIPENET, this is the proving report number for the meter defined in SAC04.</i>	C	AN	1/30	Used

SLN Subline Item Detail

Pos: 190	Max: 1
Detail - Optional	
Loop: SLN	Elements: 4

To specify product subline detail item data

Syntax:

P0405 -- If either SLN04 or SLN05 are present, then the others are required.
 C0706 -- If SLN07 is present, then SLN06 is required
 C0806 -- If SLN08 is present, then SLN06 is required
 P0910 -- If either SLN09 or SLN10 are present, then the others are required.
 P1112 -- If either SLN11 or SLN12 are present, then the others are required.
 P1314 -- If either SLN13 or SLN14 are present, then the others are required.
 P1516 -- If either SLN15 or SLN16 are present, then the others are required.
 P1718 -- If either SLN17 or SLN18 are present, then the others are required.
 P1920 -- If either SLN19 or SLN20 are present, then the others are required.
 P2122 -- If either SLN21 or SLN22 are present, then the others are required.
 P2324 -- If either SLN23 or SLN24 are present, then the others are required.
 P2526 -- If either SLN25 or SLN26 are present, then the others are required.
 P2728 -- If either SLN27 or SLN28 are present, then the others are required.

Semantics:

1. SLN01 is the identifying number for the subline item.
2. SLN02 is the identifying number for the subline level. The subline level is analogous to the level code used in a bill of materials.
3. SLN03 is the configuration code indicating the relationship of the subline item to the baseline item.
4. SLN08 is a code indicating the relationship of the price or amount to the associated segment.

Comments:

1. See the Data Element Dictionary for a complete list of IDs.
2. SLN01 is related to (but not necessarily equivalent to) the baseline item number. Example: 1.1 or 1A might be used as a subline number to relate to baseline number 1.
3. SLN09 through SLN28 provide for ten different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

User:

For PIPENET, this segment is used to include a split ticket volume.

The SLN Loop accommodates split ticket volumes where the associated parties must be identified.

Units of measurement of PIPENET document parameters will use the codes published in the implementation guidelines.

PIPENET permits the user to implement other Unit of Measure codes (DE 355) codes published in the version release.

New code implementations should be submitted to the PIPENET User Group committee for inclusion in the implementation guide.

The Unit of Measure data element will permit reporting a unit of measure that does not appear in the DE 355 code list but is composed of entries published in the list by implementing the composite Unit of Measure syntax.

PIPENET will accommodate 2 levels of Unit of Measure:

- C001 01 Unit of Measure (published code) – usage is Mandatory
- C001 02 Exponent (usage is optional)
- C001 03 Multiplier (usage is optional)
- C001 03 Unit of Measure (published code) – usage is optional)
- C001 04 Exponent (usage is optional)
- C001 05 Multiplier (usage is optional)

Examples:

- C001: BR for barrels
- C001: BR C004: HT C005: -1 for barrels per half hour

Refer to ANSI X-12 version release 4010 Composite Data Structure Figures

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>												
SLN01	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set User: <i>For PIPENET, this will be the same as LIN01 for this line item.</i>	M	AN	1/20	Req												
SLN03	662	Relationship Code Description: Code indicating the relationship between entities <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>I</td> <td>Included</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	I	Included	M	ID	1/1	Req								
<u>Code</u>	<u>Name</u>																	
I	Included																	
SLN04	380	Quantity Description: Numeric value of quantity User: <i>The split ticket volume</i>	C	R	1/15	Used												
SLN05	C001	Composite Unit of Measure Description: To identify a composite unit of measure(See Figures Appendix for examples of use)	C	Comp		Used												
	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>CO</td> <td>Cubic Meters (Net)</td> </tr> <tr> <td>GN</td> <td>Gross Gallons</td> </tr> <tr> <td>ND</td> <td>Net Barrels</td> </tr> <tr> <td>NG</td> <td>Net Gallons</td> </tr> <tr> <td>PN</td> <td>Pounds Net</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	CO	Cubic Meters (Net)	GN	Gross Gallons	ND	Net Barrels	NG	Net Gallons	PN	Pounds Net	M	ID	2/2	Req
<u>Code</u>	<u>Name</u>																	
CO	Cubic Meters (Net)																	
GN	Gross Gallons																	
ND	Net Barrels																	
NG	Net Gallons																	
PN	Pounds Net																	
	1018	Exponent Description: Power to which a unit is raised	O	R	1/15	Used												
	649	Multiplier Description: Value to be used as a multiplier to obtain a new value	O	R	1/10	Used												
	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken User: <i>Refer to C001-01 for applicable code values.</i>	O	ID	2/2	Used												
	1018	Exponent Description: Power to which a unit is raised	O	R	1/15	Used												
	649	Multiplier Description: Value to be used as a multiplier to obtain a new value	O	R	1/10	Used												

NM1 Individual or Organizational Name

Pos: 203	Max: 1
Detail - Optional	
Loop: SLN	Elements: 9

To supply the full name of an individual or organizational entity

Syntax:

P0809 -- If either NM108 or NM109 are present, then the others are required.

C1110 -- If NM111 is present, then NM110 is required

Semantics:

- NM102 qualifies NM103.

Comments:

- NM110 and NM111 further define the type of entity in NM101.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>												
NM101	98	Entity Identifier Code Description: Code identifying an organizational entity, a physical location, property or an individual	M	ID	2/3	Req												
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>AO</td> <td>Account Of</td> </tr> <tr> <td>CN</td> <td>Consignee</td> </tr> <tr> <td>SH</td> <td>Shipper</td> </tr> <tr> <td>SU</td> <td>Supplier/Manufacturer</td> </tr> <tr> <td>UC</td> <td>Ultimate Consignee</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	AO	Account Of	CN	Consignee	SH	Shipper	SU	Supplier/Manufacturer	UC	Ultimate Consignee				
<u>Code</u>	<u>Name</u>																	
AO	Account Of																	
CN	Consignee																	
SH	Shipper																	
SU	Supplier/Manufacturer																	
UC	Ultimate Consignee																	
NM102	1065	Entity Type Qualifier Description: Code qualifying the type of entity	M	ID	1/1	Req												
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Non-Person Entity</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	2	Non-Person Entity												
<u>Code</u>	<u>Name</u>																	
2	Non-Person Entity																	
NM103	1035	Name Last or Organization Name Description: Individual last name or organizational name	O	AN	1/35	Used												
NM104	1036	Name First Description: Individual first name	O	AN	1/25	Used												
NM105	1037	Name Middle Description: Individual middle name or initial	O	AN	1/25	Used												
NM106	1038	Name Prefix Description: Prefix to individual name	O	AN	1/10	Used												
NM107	1039	Name Suffix Description: Suffix to individual name	O	AN	1/10	Used												
NM108	66	Identification Code Qualifier Description: Code designating the system/method of code structure used	C	ID	1/2	Used												

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>																
		for Identification Code (67)																				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>D-U-N-S Number,Dun & Bradstreet</td> </tr> <tr> <td>9</td> <td>D-U-N-S+4,D-U-N-S Number with Four Character Suffix</td> </tr> <tr> <td>22</td> <td>Council of Petroleum Accounting Societies code (COPAS)</td> </tr> <tr> <td>TL</td> <td>Transport4 Location Code</td> </tr> <tr> <td></td> <td>User: Refer to Code Source 841 in the Appendix.</td> </tr> <tr> <td>TS</td> <td>Transport4 Shippers Code</td> </tr> <tr> <td></td> <td>User: Refer to Code Source 841 in the Appendix.</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	1	D-U-N-S Number,Dun & Bradstreet	9	D-U-N-S+4,D-U-N-S Number with Four Character Suffix	22	Council of Petroleum Accounting Societies code (COPAS)	TL	Transport4 Location Code		User: Refer to Code Source 841 in the Appendix.	TS	Transport4 Shippers Code		User: Refer to Code Source 841 in the Appendix.				
<u>Code</u>	<u>Name</u>																					
1	D-U-N-S Number,Dun & Bradstreet																					
9	D-U-N-S+4,D-U-N-S Number with Four Character Suffix																					
22	Council of Petroleum Accounting Societies code (COPAS)																					
TL	Transport4 Location Code																					
	User: Refer to Code Source 841 in the Appendix.																					
TS	Transport4 Shippers Code																					
	User: Refer to Code Source 841 in the Appendix.																					
NM109	67	Identification Code Description: Code identifying a party or other code	C	AN	2/80	Used																

N1

Name

Pos: 210	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

To identify a party by type of organization, name, and code

Syntax:

- R0203 -- At least one of N102 or N103 is required.
- P0304 -- If either N103 or N104 are present, then the others are required.

Comments:

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- N105 and N106 further define the type of entity in N101.

User:

A typical third party transaction can be envisioned as a three link chain. The left link owns the ticket data and allows the middle link access to the ticket. The right link is granted access to the ticket by the middle link.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Req

Description: Code identifying an organizational entity, a physical location, property or an individual

User: *When N101 (Table 2/210) contains the values "RR" then REF01 may be "PN", "SN", and/or "VT".*

<u>Code</u>	<u>Name</u>
AO	Account Of
CI	Consignor
CN	Consignee
DT	Destination Terminal
IK	Intermediate Carrier
	Description: Use this code value to denote Connecting Carrier.
MC	Motor Carrier
OC	Origin Carrier
OP	Operator of property or unit
OV	Owner of Vessel
PP	Property
RF	Refinery
RR	Railroad
SF	Ship From
SH	Shipper
ST	Ship To
SU	Supplier/Manufacturer
TF	Tank Farm
UC	Ultimate Consignee
WF	Tank Farm Owner
	User: <i>Use this code value to designate the destination terminal.</i>

Z6	Transferring Party
	Description: An organization that is sending material
	User: <i>This is the left link in the chain. This party "owned" the product first. This party is the transferor to the middle link in the chain. This party grants access to the ticket stored in the TPTS repository to the middle link in the chain.</i>

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>																										
	Z8	<p>Last Known Source of Supply Description: The last organization known to hold a transaction for the needed material User: <i>This is the right link in the chain. This party owned the product last in this three link chain of custody. This party is granted access to the ticket by the middle link. This name qualifier identifies this party as the transferee due to a change of custody from the party identified in the N1 segment with a code value of "ZL" in N101.</i></p>																														
	ZD	<p>Party to Receive Reports Description: The organization designated to receive reports User: <i>This is the middle link in the chain requesting a copy of the ticket stored in the TPTS repository. This party "owned" the product second. This party is the transferee to the transferor identified by the N1 segment with the code value "Z6" in N101.</i></p>																														
	ZL	<p>Party Passing the Transaction Description: The party forwarding a transaction User: <i>This is the middle link in the chain requesting a copy of the ticket stored in the TPTS repository. This party which transferred ownership of the product to the right link in the chain. This name qualifier identifies this party as the transferor to the right link..</i></p>																														
N102	93	<p>Name Description: Free-form name</p>	C	AN	1/60	Used																										
N103	66	<p>Identification Code Qualifier Description: Code designating the system/method of code structure used for Identification Code (67)</p> <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>D-U-N-S Number,Dun & Bradstreet</td> </tr> <tr> <td>9</td> <td>D-U-N-S+4,D-U-N-S Number with Four Character Suffix</td> </tr> <tr> <td>20</td> <td>Standard Point Location Code (SPLC)</td> </tr> <tr> <td>22</td> <td>Council of Petroleum Accounting Societies code (COPAS)</td> </tr> <tr> <td>30</td> <td>American Petroleum Institute Location Code</td> </tr> <tr> <td>35</td> <td>Electronic Mail Internal System Address Code</td> </tr> <tr> <td>91</td> <td>Assigned by Seller or Seller's Agent</td> </tr> <tr> <td>92</td> <td>Assigned by Buyer or Buyer's Agent</td> </tr> <tr> <td>TL</td> <td>Transport4 Location Code</td> </tr> <tr> <td></td> <td>Description: Refer to Code Source 841 in the Appendix.</td> </tr> <tr> <td>TS</td> <td>Transport4 Shippers Code</td> </tr> <tr> <td></td> <td>Description: Refer to Code Source 841 in the Appendix.</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	1	D-U-N-S Number,Dun & Bradstreet	9	D-U-N-S+4,D-U-N-S Number with Four Character Suffix	20	Standard Point Location Code (SPLC)	22	Council of Petroleum Accounting Societies code (COPAS)	30	American Petroleum Institute Location Code	35	Electronic Mail Internal System Address Code	91	Assigned by Seller or Seller's Agent	92	Assigned by Buyer or Buyer's Agent	TL	Transport4 Location Code		Description: Refer to Code Source 841 in the Appendix.	TS	Transport4 Shippers Code		Description: Refer to Code Source 841 in the Appendix.	C	ID	1/2	Used
<u>Code</u>	<u>Name</u>																															
1	D-U-N-S Number,Dun & Bradstreet																															
9	D-U-N-S+4,D-U-N-S Number with Four Character Suffix																															
20	Standard Point Location Code (SPLC)																															
22	Council of Petroleum Accounting Societies code (COPAS)																															
30	American Petroleum Institute Location Code																															
35	Electronic Mail Internal System Address Code																															
91	Assigned by Seller or Seller's Agent																															
92	Assigned by Buyer or Buyer's Agent																															
TL	Transport4 Location Code																															
	Description: Refer to Code Source 841 in the Appendix.																															
TS	Transport4 Shippers Code																															
	Description: Refer to Code Source 841 in the Appendix.																															
N104	67	<p>Identification Code Description: Code identifying a party or other code</p>	C	AN	2/80	Used																										

REF Reference Identification

Pos: 250	Max: 100
Detail - Optional	
Loop: N1	Elements: 2

To specify identifying information

Syntax:

R0203 -- At least one of REF02 or REF03 is required.

Semantics:

- REF04 contains data relating to the value cited in REF02.

User:

When N101 (Table 2/210) contains the values "ST" or "SF" then REF01 will be "DJ". This identifies the delivery ticket number.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>										
REF01	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification	M	ID	2/3	Req										
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>DJ</td> <td>Delivery Ticket Number</td> </tr> <tr> <td>PN</td> <td>Permit Number</td> </tr> <tr> <td>SN</td> <td>Seal Number</td> </tr> <tr> <td>VT</td> <td>Motor Vehicle ID Number</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	DJ	Delivery Ticket Number	PN	Permit Number	SN	Seal Number	VT	Motor Vehicle ID Number				
<u>Code</u>	<u>Name</u>															
DJ	Delivery Ticket Number															
PN	Permit Number															
SN	Seal Number															
VT	Motor Vehicle ID Number															
REF02	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	C	AN	1/30	Used										

PER Administrative Communications Contact

Pos: 260	Max: 3
Detail - Optional	
Loop: N1	Elements: 2

To identify a person or office to whom administrative communications should be directed

Syntax:

- P0304 -- If either PER03 or PER04 are present, then the others are required.
- P0506 -- If either PER05 or PER06 are present, then the others are required.
- P0708 -- If either PER07 or PER08 are present, then the others are required.

User:

PIPENET allows that the information contact in the PER segment of the N1 loop sending the Point of Origin (N101="SF") or Point of Delivery (N101="ST").

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
PER01	366	Contact Function Code Description: Code identifying the major duty or responsibility of the person or group named	M	ID	2/2	Req				
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>IC</td> <td>Information Contact</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	IC	Information Contact				
<u>Code</u>	<u>Name</u>									
IC	Information Contact									
PER02	93	Name Description: Free-form name	O	AN	1/60	Used				
		User: <i>Use this data field to relay the name or initials of the field employee responsible for the creation of the ticket.</i>								

CTT Transaction Totals

Pos: 010	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

To transmit a hash total for a specific element in the transaction set

Syntax:

P0304 -- If either CTT03 or CTT04 are present, then the others are required.
 P0506 -- If either CTT05 or CTT06 are present, then the others are required.

Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

User:

This data field should contain the number of LIN segments present in the transaction set.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Req
<p>Description: Total number of line items in the transaction set</p> <p>User: <i>For PIPENET a count of the number of RCD segments present in the transaction.</i></p>						

SE**Transaction Set Trailer**

Pos: 020	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

- SE is the last segment of each transaction set.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments Description: Total number of segments included in a transaction set including ST and SE segments	M	N0	1/10	Req
SE02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set User: SE02 must be the same number as ST02.	M	AN	4/9	Req